

G.K. Chemical Specialties Co. Inc. 90 Barbados Blvd. Scarborough, Ontario M1J 1K9 Tel: (416) 261-7182 Fax: (416) 261-5663

# SAFETY DATA SHEET (SDS)

PRODUCT NAME: G-420 'A' ALL PURPOSE CLEANER	
HEALTH HAZARD RATING:	(1)- SLIGHT HAZARD NFPA Rating
FLAMMABILITY HAZARD RATING:	(0)- MINIMAL HAZARD
REACTIVITY HAZARD RATING:	(0)- MINIMAL HAZARD
PERSONAL PROTECTION:	a (glasses,)
HAZARD ALERT SIGN:	<u>!</u>

SECTION 1 – IDENTIFICATION	
PRODUCT IDENTIFIER	
PRODUCT NAME	G-420 'A' ALL PURPOSE CLEANER
MANUFACTURER'S NAME AND ADDRESS EMERGENCY PHONE NO.	G.K. Chemical Specialties Co. Inc. 90 Barbados Blvd. Scarborough, Ontario M1J 1K9 (416) 261-7182 / 905 427-7605/ 416-526-4037
SUPPLIER'S NAME AND ADDRESS EMERGENCY PHONE NO.	
CHEMICAL NAME	N/A
CHEMICAL FAMILY	N/A
TRADE NAME AND SYNONYMS	N/A
MATERIAL USE	cleaning

G.K. Chemical Specialties Co. Inc. has compiled the information and recommendations contained in this Safety Data Sheet from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the SDS was prepared. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation.

G.K. Chemical Specialties Co. Inc. extends no warranty and assumes no responsibility as to the accuracy of the content or sufficiency of the information and expressly disclaims all liability for reliance thereon. This SDS provides guidelines for the safe handling of this product. It does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required. Individuals exposed to this product should read and understand this information and be provided pertinent training prior to working with this product.

G.K. Chemical Specialties Co. Inc. assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.

<u>INGREDIENTS.</u> This SDS, under section of Ingredients, contains all ingredients listed under INGREDIENT DISCLOSURE LIST P.C. 1987-2719, 20/1/88 CANADA GAZETTE PART II VOL. 122, No 2 of HAZARDOUS PRODUCT ACT.

Percentage range of concentration of ingredients is expressed as percentage by weight of the total weight of the product. Ingredient List does not necessarily list all ingredients in the formulation and does not necessarily list all ingredient range of concentration, other than ingredients under the Disclosure List.

<u>T.L.V.</u> (units) or Threshold Limit Values refer to the limiting concentrations recommended by the Ministry of Labour. These values were adopted by the American Conference of Governmental Industrial Hygienists (A.C.G.I.H.). The figures refer to time-weighted average concentrations as P.P.M. (V/V) or mg/m³ for a normal working day or at any time for some materials.

<u>"C.A.S REG. No."</u> means the identification number assigned to a chemical substance by the Chemical Abstracts Service Division of the American Chemical Society.

<u>"LC 50"</u> means the concentration of a substance in air that when administered by means of inhalation over a specified length of time in an animal assay, is expected to cause the death of 50 per cent of a defined animal population.

<u>"LD 50"</u> means the single dose of a substance that, when administered by a defined route in an animal assay, is expected to cause death of 50 per cent of a defined animal population.

<u>FLASH POINT.</u> The minimum temperature at which a substance gives off flammable vapors which in contact with spark or flame will ignite.

NIOSH- National institute for occupational safety and health

STEL- Short term exposure limit

TWA- Time-weighted average

PEL- Permissible exposure limit

ACGIH- American conference of governmental industrial hygienist

OSHA- Occupational safety and health act

# **SECTION 2 – HAZARD IDENTIFICATION**

Dangerous Goods-WHMIS: CLASS D, 2B

**OSHA HAZARDS: Irritant** 

## **GHS CLASSIFICATION**

Eye irritation- Category 2A

GHS Label Elements, including precautionary statements: Hazard Statements

**Signal word-DANGER** 

#### **HAZARD STATEMENTS**

H320-Causes eye irritation H302- Harmful if swallowed

# PREVENTION (see also section 4 –First aid and measures)

P280: Wear eye protection/ face protection P264: Wash skin thoroughly after handling

P405: Store locked up

#### **RESPONSE:**



P305 + P351 + P338- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313: If eye irritation persists: Get medical advice/ attention

P303 + P361 +P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water. Shower.

P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor / physician.

P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

## POTENTIAL HEALTH EFFECTS

EYE: May cause irritation SKIN: May cause skin irritation

INGESTION: May be harmful if swallowed

SECTION 3 – composition/information on ingredients				
HAZARDOUS INGREDIENTS	APPROXIMATE CONCENTRATION %	C.A.S., N.A. OR U.N. NUMBERS	LD50 {SPECIFY SPECIES & ROUTE}	LC 50 {SPECIFY SPECIES & ROUTE}
Morpholine Oleate	1 - 3	1095-66-5	Oral(Rat): >5,000 mg/kg Dermal (Rabbit):>2000 mg/kg	
Sodium (C10-16) Benzene Sulfonate	1 - 3	68081-2	Oral (Rat): >1,000 mg/kg Dermal(Rabbit):>2,999 mg/kg	
Sodium Citrate	1-3	6132-04-3	Oral (Rat): 6,730 mg/kg Dermal(Rabbit):>2000mg/kg	
2-Butoxyethanol	1 - 3	111-76-2	Oral(Rat): 1,300 mg/kg Dermal(Rabbit):>5,000 mg/kg	
Sodium metasilicate pentahydrate	<1	10213-79-3	Oral(Rat): 1,153 mg/kg Dermal(Rabbit): 250 mg/kg	
Phosphoric acid, trisodium salt, dodecahydrate	< 1	10101-89-0	Oral(Rat): 7,400 mg/kg Dermal(Rabbit):>2,000mg/kg	
Water, inert and other non -hazardous ingredients	Balance			

SECTION 4 – F	IRST AID MEASURES
SKIN CONTACT	No known significant effects or critical hazards for product at use solution. For product as sold contact may cause mild irritation. In case of contact rinse with plenty of water.
EYE CONTACT	Immediately hold eyelids open and flush with water for at least 15 minutes. Seek medical attention if required
INHALATION	No known significant effects or critical hazards
INGESTION	May be harmful if swallowed. Do not induce vomiting. Drink 1 or 2 glasses of water. Seek immediate medical attention. Never give anything by mouth to an unconscious or convulsing person. If vomiting occur spontaneously, keep head below hips to prevent aspiration of liquid into the lungs.
NOTES TO PHYSICIAN	Treatment based on sound judgment of physician and individual reaction of patient. If swallowed Symptoms may include nausea, vomiting and diarrhea. EYE CONTACT: Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

SECTION 5 – FIRE-FIGHTING MEASURES		
FLASH POINT ( °C)	Not applicable	
FLASH POINT METHOD	Not applicable	
AUTOIGNITION TEMPERATURE ( °C )	Not applicable	
UPPER FLAMMABLE LIMIT ( % VOL.)	Not applicable	
LOWER FLAMMABLE LIMIT ( % VOL. )	Not applicable	
HAZARDOUS COMBUSTION PRODUCTS	Carbon Dioxide (CO <sub>2</sub> ), Carbon monoxide (CO), Oxides of Sulphur	
UNUSUAL FIRE/ EXPLOSION HAZARDS	None known	
SENSITIVITY TO MECHANICAL IMPACT	Not sensitive	

SENSITIVITY TO STATIC DISCHARGE	Not sensitive
EXTINGUISHING MEDIA	Water spray, foam, dry powder or Carbon Dioxide. Use media appropriate for surrounding fire
SPECIAL FIRE FIGHTING PROCEDURES	Fire fighters should wear full protective clothing, including self- contained breathing equipment

SECTION 6 – ACCIDENTAL RELEASE MEASURES		
LEAK AND SPILL PROCEDURE	Stop leak. Move containers from spill area. Dilute with water and mop up. Material can create slippery conditions. Use non-slip safety shoes in areas where spills or leaks can occur	
ENVIRONMENTAL PRECAUTIONARY	Prevent entry into sewers or streams.	
PERSONAL PRECAUTIONARY MEASURES	Wear protective clothing during cleanup	

SECTION 7 – HANDLING AND STORAGE		
HANDLING PROCETURES	Avoid contact with eyes. Avoid ingestion. Use good industrial hygiene practices in handling this product. Keep container closed when not in use.	
STORAGE NEEDS	Keep container tightly closed. Keep away from children. Do not store in unlabeled containers. Do not store with strong oxidizing agents.	

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION		
VENTILATION REQUIREMENTS	General ventilation is recommended.	
PROTECTIVE EQUIPMENT	Ensure that eyewash stations are proximal to the work-station location	
EYE/TYPE	Safety glasses	
RESPIRATORY/TYPE	None required	
GLOVE/TYPE	Nitrile, Vinyl, latex, Butyl impervious gloves	
FOOTWEAR/TYPE	No special footwear is required	
BODY/TYPE	No special protective clothing is required	

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES	
APPEARANCE – PHYSICAL STATE	Clear blue liquid
ODOUR	pleasant
ODOUR THRESHOLD (PPM)	Not available
PH	10.40 ±0.50 in water concentrate, 9.25 ± 0.5 2% solution in water
MELTING POINT ( °C)	Not applicable
BOILING POINT ( °C )	100°C
FREEZING POINT ( °C )	0°C
EVAPORATION RATE	As water
FLAMMABILITY	Not applicable
FLASH POINT ( °C)	Not applicable
AUTO IGNITION TEMPERATURE	Not applicable
DECOMPOSITION TEMPERATURE	Not available
VAPOUR DENSITY	Not applicable

VAPOUR PRESSURE	Not applicable
SOLUBILITY	Soluble in water
VISCOSITY	Thin liquid
% VOLATILE BY VOLUME	92 ± 1
SPECIFIC GRAVITY	1.02 ± 0.02 gm / cm <sup>3</sup>

SECTION 10 – STABILITY AND REACTIVITY		
REACTIVITY	The product is stable	
CHEMICAL STABILITY	Stable	
POSSIBILITY OF HAZARDOUS REACTIONS	Not applicable	
CONDITIONS TO AVOID	No specific data	
INCOMPATIBLE MATERIALS	Strong Oxidizing agents, Acids	
HAZARDOUS DECOMPOSITION PRODUCTS	Carbon Dioxide (CO <sub>2</sub> ), Carbon Monoxide, Oxides of Sulphur	

SECTION 11 -TOXICOLOGICAL INFORMATION			
TOXICITY EFFECTS ON ANIMALS	For Morpholine Oleate (1095-66-5): Acute Oral toxicity LD50 (Rat): >5,000 mg /kg, LD50 Dermal (Rabbit): >2,000 mg/kg.  For Sodium (C10-16) Benzene Sulfonate (68081-2): Acute Oral Toxicity LD50 (Rat); >1,000 mg/kg. Acute Dermal Toxicity LD50 (Rabbit): >2,000 mg/kg  For Sodium Citrate (6132-04-3): Acute Oral toxicity LD50 (Rat): 6,730 mg/kg. LD50 Dermal (Rabbit): >2,000 mg/kg.  For 2-Butoxyethanol (111-76-2): Acute Oral Toxicity LD50 (Rat): 1,300 mg/kg. Acute Dermal Toxicity LD50 (Rabbit): >5,000 mg/kg. NIOSH PEL-TWA 50 ppm (240 mg/m³), IDLH (Immediate danger 700 ppm.  For Sodium Metasilicate Pentahydrate (10213-79-3): Acute Oral Toxicity LD50 (Rat): 1153 mg/kg. Acute Dermal Toxicity LD50 (Rabbit): 250 mg/kg/24 h.  For Phosphoric acid, Trisodium salt, dodecahydrate (10101-89-0): Acute Oral Toxicity LD50 (Rat): 7400 mg/kg. Acute Dermal Toxicity LD50 (Rabbit): >2,000 mg/kg  For the mix estimated Acute Oral Toxicity is much >5,000 mg/kg. Therefore product is classified as non-toxic. Acute Dermal Toxicity for the mix is also estimated to be much >5,000 mg/kg. Therefore the product is not toxic.		
TOXIC EFFECTS ON HUMANS	May cause irritation of eyes, may cause some skin irritation to some persons		
CHRONIC EFFECTS ON HUMANS	No known significant effects		
CARCINOGENICITY	No evidence		
TERATOGENICITY	No evidence		
MUTAGENICITY	No evidence		
REPRODUCTIVE EFFECTS	No evidence		

SECTION 12 -ECOLOGICAL INFORMATION		
ECOTOXICITY DATA	<b>For Morpholine Oleate (1095-66-5):</b> No specific data was located. The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Ingredient readily BIODEGRADABLE.	

For Sodium (C10-16) Benzene Sulfonate (68081-81-2): Acute Toxicity to fish LC50, Fathead minnow (Pimephales Promelas): 1.67 mg/L/96h. Acute Toxicity Crustacea EC50, Daphnia magna (Water flea): 2.4 mg / L/ 48 h. EC50 Algae: 20 mg /L / 96h. This ingredient is Toxic to aquatic organisms, however it biodegradates very fast. Primary degradation intermediates are Sulfophenyl Carboxylates which further degrades to CO<sub>2</sub>,SO<sub>4</sub> and water. Biodegradation intermediates have LC50 >1,000 mg/L/96 h. for Fathead Minnows and Daphnia magna and are not toxic to aquatic organisms. For Sodium Citrate (6132-04-3)): Acute Toxicity to fish LC50, Poecilia Reticulata: 18,000-32,000 mg / L / 96h. Acute Toxicity to Crustacea EC50, Daphnia magna (Water flea): 5,600 mg /L / 48 h. EC50, Chlorella Vulgaris (fresh water Algae): 18,000-32,000 mg / L / 96 h. Ingredient readily BIODEGRADABLE. Biodegradability: >98 % /2 days **For 2-Butoxyethanol (111-76-2):** Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50 >100 mg / L in most sensitive species tested). EC50, Daphnia magna (Water flea), static test: 1,550 mg / L / 48h. BIODEGRADABLE product. For Sodium metasilicate pentahydrate (10213-79-3): Ecotoxicity in water, acute toxicity to fish LC50, Mosquito fish (Gambusia affinis): 2,320 ppm / 96 h. Acute Toxicity to aquatic invertebrates, EC50, Daphnia magna (Water flea): 247 ppm /96 h. Acute toxicity to snail eggs (Lymnea): 632 ppm /96 h. This ingredient is inorganic and not subject to biodegradation. For Phosphoric acid, Trisodium salt dodecahydrate (10101-89-0): Acute Toxicity to fish: EC50, Mosquitofish: 151 mg/L/96 h. EC50 Daphnia magna (Water flea): 126 mg/L / 96 h. No specific biodegradation test data was located. Formulation will contain < 0.18 %  $P_2O_5$ . Readily biodegradable **BIODEGRADABILITY PRODUCTS OF** No data available **DEGRADATION** 

SECTION 13 – DISPOSAL CONSIDERATIONS		
WASTE DISPOSAL	Disposal of all wastes must be done in accordance with municipal, provincial and federal regulations	
INFORMATION ON SAFE HANDLING FOR DISPOSAL INCLUDING ANY CONTAMINATED PACKAGING	Suitable waste facility	

SECTION 14 – TRANSPORT INFORMATION		
UN NUMBER	Not applicable	
UN PROPER SHIPPING NAME	Not applicable	
TRANSPORT HAZARD CLASS	Not regulated	
PACKAGING GROUP	Not applicable	
ENVIRONMENTAL HAZARDS	Nil	
TRANSPORT IN BULK, if applicable	Not applicable	
SPECIAL PRECAUTIONS	NIL	

SECTION 15 – REGULATORY INFORMATION				
SAFETY HEALTH & ENVIRONMENTAL REGULATIONS SPECIFIC TO THE PRODUCT	U.S. TSCA inventory Status: All components of this product are either on the Toxic Substances Control Act (TSCA) INVENTORY List or exempt. Canadian DSL Inventory Status: All components of this product are either on the Domestic Substances List (DSL) or the Non-Domestic Substances List (NDSL) or exempt.			

SECTION 16 – OTHER INFORMATION		
PREPARED BY:	Gus Kaklamanos - Chemist	
TELEPHONE NO.:	416-261-7182	
DATE OF THE LATEST REVISION OF SDS:	August 25, 2021	